

## DATA SHEET

---

# Polycom + HP SRS Bundle

Combine the flexible Teams and Skype Room System of HP with the proven voice and video technology of Polycom

The Polycom + HP SRS bundle is a native Microsoft room system that combines the familiar Microsoft Teams and Skype for Business experiences on the most versatile HP Skype Room System (SRS) with the Polycom's legendary audio and video quality.

Get set up quickly with no specialized skills required, and easily manage, deploy and secure your meeting room system with the most flexible SRS product available. The HP Elite Slice G2 Audio Ready is simple to set up and it can be mounted under the table with the VESA mounting module to make the conference table free of cable clutter. The tamper-proof breakout cable keeps the unit protected from unintended disconnection, so the system is always ready for use. Combine it with Polycom Trio, which offers best-in-class audio quality for Skype Room Systems, along with EagleEye IV USB camera to ensure the best meeting experiences.

### HP Elite Slice Audio Ready

- **Stress-free installation**—HP Elite Slice G2 Audio Ready is simple to install, modular design allows the PC unit to be VESA-mounted under the table
- **Center of room control**—12.3" dual-viewing angles with smudge-resistant glass coating for easy touch operation
- **Tamper-proof port cover**—Prevents tampering or damage from guests or users removing the cables
- **Windows 10 IoT Enterprise**—Pre-loaded with Skype Room System application

### Easy to deploy, simple to manage

- Always-on device that automatically wakes up the displays when it detects people in the room
- Minimal effort needed to train end users, due to familiar Microsoft Teams and Skype for Business user interfaces
- Simple deployment and updating through Windows update
- SRS unit is monitored and managed via familiar tools, such as Intune and Operations Management Suite
- Interoperability with standards-based H.323 or SIP endpoints via Polycom RealConnect



### Benefits

- **Familiar Microsoft interface**—Familiar user interface, touch-based operation and Microsoft Teams/Skype for Business workflow make it easy for everyone to use
- **Powerful audio and video experience**—Legendary Polycom voice and video solutions enhance the overall meeting experience in the room and for far-end participants
- **Stress-free installation**—HP Elite Slice G2 Audio Ready is simple to install, modular design allows the PC to be VESA-mounted under the table

## Superb audio and video conferencing experiences

Whether you join a call from a huddle space with a few team members or from a larger conference room, Polycom Trio offers premium voice quality that is essential in remote video collaborations. Rest assured that you will hear and be heard clearly, wherever you are in the room.

Polycom HD Voice—with full duplex, echo cancellation and noise reduction—produces crisper sound quality and reduces fatigue. Polycom NoiseBlock automatically mutes the microphone when a user stops speaking, silencing ambient noises that can interrupt conversations.

- Polycom offers a full range of legendary audio and video peripherals—delivering exceptional meeting experiences from small to large meeting rooms.
- *Polycom Trio 8500* speakerphone delivers unmatched audio quality and innovative features such as *Polycom NoiseBlock*.
- Polycom EagleEye IV USB camera with 12x pan-tilt-zoom (PTZ) is ideal for medium to large conference rooms.

## Solutions for meeting rooms

### • Polycom + HP SRS large room bundle

For medium to large meeting spaces—HP Elite Slice G2 Audio Ready, Polycom 8500 with expansion microphones, and Polycom EagleEye IV USB camera (12x MPTZ)



### • Polycom + HP SRS medium room bundle

For huddle room to medium room—HP Elite Slice G2 Audio Ready, Polycom Trio 8500, and Polycom EagleEye IV USB camera (12x MPTZ)



\* Models to fit any space: Polycom and HP SRS bundles with HP Elite Slice G2 Audio Ready are provided by certified Polycom resellers.



Product Specifications

HP Elite Slice G2 Audio Ready (For detailed specifications, please refer to <i>HP site</i> .)	
Form factor	Ultra-small form factor
Operating system	Windows 10 IoT Enterprise 64
Processing family	7th generation Intel® Core™ i5 processor
Maximum memory	8 GB RAM DD4-2400 DRAM
Internal storage	128 GB
Display	12.3" diagonal full HD touchscreen
Power	90 W external power adapter
Ports and connectors	Side: 1 x audio-in/out; 1 x USB 3.1 Type-C™ Back: 1 x DisplayPort™; 1 x HDMI; 1 x power connector; 1 x RJ-45; 1 x USB 3.1 Type-C™ 2 x USB 3.1
Weight	3.46 lb 1.57 kg (Exact weight depends on configuration.)
Dimension	6.5 x 6.5 x 4.4 in (L x W x H) 16.5 x 16.5 x 11.2 cm
PC content sharing	HP video ingest module 1 x HDMI

Polycom Trio 8500 (For detailed specifications, please refer to Polycom Trio 8500 data sheet.)	
Audio features	<ul style="list-style-type: none"> <li>• 3 cardioid microphones</li> <li>• Loudspeaker: frequency 180–14,000 Hz</li> <li>• Volume: 90 dB at 0.5m peak volume</li> <li>• 14ft/4.3m microphone pickup range</li> <li>• Polycom HD Voice</li> <li>• Polycom Acoustic Clarity technology provides full-duplex conversations, acoustic echo cancellation and background noise suppression—Type 1 compliant (IEEE 1329 full duplex)</li> <li>• Polycom NoiseBlock</li> </ul>
Display	<ul style="list-style-type: none"> <li>• Gesture-based, multi-touch-capable capacitive touchscreen</li> <li>• 5-inch color LCD (720 x 1280 pixel), 9:16 aspect ratio</li> </ul>
Ports and connectors	<ul style="list-style-type: none"> <li>• 1 x USB 2.0 Type A-compliant host port, 1 x USB 2.0 Micro-B device port</li> <li>• 2 x extension microphones ports</li> </ul>
Power	<ul style="list-style-type: none"> <li>• LAN IN: built-in auto-sensing IEEE 802.3at. PoE Device (Class 4). Backward compatibility with IEEE 802.3af</li> <li>• Optional power kit includes extended single-port gigabit midspan, 802.3at Type 2 compliant, local power cord and network cable (2200-66740-xxx)</li> </ul>
Weight	2.2 lb 985 grams
Dimension	14 x 12 x 2.75 in (L x W x H) 35.6 x 30.9 x 7 cm
USB cable	Lockable USB 2.0 cable (9.8ft/3m)
Warranty	One-year return to factory parts and labor



## Product Specifications

Polycom EagleEye IV USB (For detailed specifications, please refer to Polycom EagleEye IV data sheet.)	
Camera type	1/2.7" CMOS
H/V resolution	1920 x 1080
Output	Max 1080p 30/25
Focal length	F=3.5mm to 42.3mm
Lens F#	.7-1.1in – 1.8-2.8cm
Zoom	12 x optical
Focus	Auto
Field of view	6.9° – 72.5° (H) 3.9° – 44.8° (V)
Pan range	+/- 170°
Tilt range	+90/-30°
I/O	USB 2.0
Camera control	Camera remote
Power	External power adapter Power consumption 12v @ 1.5A
Dimension	5.6 x 7 x 6 in (W x H x D) 14.2 x 17.6 x 15.2 cm
USB cable	USB 2.0 cable (16.4 ft/5m)
Warranty	One-year return to factory parts and labor

## Learn more

For more information regarding the Polycom + HP SRS Bundle and other Polycom solutions for Microsoft Teams and Skype for Business, contact us at [TeamMicrosoft@polycom.com](mailto:TeamMicrosoft@polycom.com) or visit [www.polycom.com/microsoft](http://www.polycom.com/microsoft).

## About Polycom

Polycom helps organizations unleash the power of human collaboration. More than 400,000 companies and institutions worldwide defy distance with video, voice and content solutions from Polycom. Polycom and its global partner ecosystem provide flexible collaboration solutions for any environment that deliver the best user experience and unmatched investment protection.



bring it together

[www.juxto.com](http://www.juxto.com)

Since 2001, the JUXTO team has led the cloud communication revolution, providing top quality voice networks across North America and delivering highly-reliable cloud communications (i.e. IPPBX) including unified communications (UC). We've partnered with Ribbon, a global leader in real-time communications software solutions for service providers, enabling our services using true carrier-grade infrastructure that connects businesses across the globe to a geo-redundant voice solution. Our technology is future- proof; it can adapt to any changes in the industry, safeguarding our clients investments.

